

# Canvas

External Awning Fabric

- 35 Colours
- DURAGUARD® Fabric Protector
- New Grey back option available
- New 2.8m width option
- Australian Made





Yalumba

Inspired by COLORBOND® Classic Cream™

Coffee

Thundercloud

Inspired by COLORBOND® Woodland Grey®

Mombasa

Inspired by COLORBOND® Night Sky®

Silver Pearl

Inspired by COLORBOND® Shale Grey™

Holly

Firepit

Sandcastle

Zebra

Ash

Mercury

# A fresh take on a timeless classic

With superior strength, energy efficiency & effortless maintenance, the iconic Canvas collection now offers a new wider width & an inspired colour range.



## Refreshed Palette

Colours inspired by current Australian home exterior trends including options colour matched to popular COLORBOND® colours.



## Contemporary Backing

A new grey backing is available with 3 new stripes to complement modern Australian designs. Iconic green backing available across 19 stripe patterns.



## Wider Width

New 2.8m width for wider window applications in 5 new colours. 2.2m width available in the complete range.

## Stain Resistance

Treated with DURAGUARD® Fabric Protector to effectively repel most stain causing agents and for easy cleaning & maintenance.

# THE COLOUR COLLECTION

Green hues resemble the refreshing Australian flora. Organic and natural tones work well with both modern and traditional styles.

LUSH

URBAN

RUSTIC

Each trend explores the Canvas colour collection and its versatility across any exterior style.

Sleek, crisp and clean. Grey and monochrome shades create a modern colour palette effortlessly complementing contemporary home exterior schemes.

Traditional taupe, beige, and bronze colours create an earthy palette. Rich and warm tones are ideal for heritage home applications.

Yalumba

Inspired by COLORBOND®:  
Classic Cream™

Coffee

Thundercloud

Inspired by COLORBOND®:  
Woodland Grey™

Mombasa

Inspired by COLORBOND®:  
Night Sky™

Silver Pearl

Inspired by COLORBOND®:  
Shale Grey™

# Wider Width

To meet demands for larger windows, we have introduced a wider width of 2.8m in 5 new colours whilst maintaining the durability of Canvas fabric.



## Fade Resistance

Designed & tested for Australian conditions & colour fastness standards.

## Australian Made

Proudly made in Australia, supporting local textiles & ensuring a high quality standard every time.

## Mildew Resistant

Treated with antimicrobial protection reducing the development of bacteria & mildew.



Silver Pearl C100 ▲  
Inspired by COLORBOND®: Shale Grey™

Urban C181

Thundercloud C810 ▲  
Inspired by COLORBOND®: Woodland Grey®

Mombasa C134 ▲  
Inspired by COLORBOND®: Night Sky®

Antique C907

Custard C910

Dream C746

Bone C7

Yalumba C734 ▲  
Inspired by COLORBOND®: Classic Cream™

Coffee C108 ▲

Grass C909

Jungle C918

Sky C906

Riveria C913

Domino C215

Zebra C40

Pebble C210

Mercury C250

Ash C430

Beach C9600

Chelsea C9500

Hills C630

Henley C9450

Cottage C9300

Turf C21

Holly C8

Carnival C1100

Tanned C5

Country C9200

Sunset C2100

Oak C322

Rosie C15

Sandcastle C53

Firepit C308

Cafe C6200

Note: Colours and patterns shown are just for a general overview of the range and are as accurate as the printing process allows. Please refer to the fabric swatch for selections.

▲ Also available in 2800mm width. GB Available with grey backing.

<b>Composition:</b>	Plain woven, 52% Polyester and 48% Cotton fabric
<b>Weight:</b>	Mass 498gsm + 10gsm
<b>Cutting Technique:</b>	Ultrasonic, Knife Cut, Crush or Pressure Cut
<b>Tensile Strength:</b>	Warp > 2315N [Base Cloth] - Weft > 1700N [Base Cloth]
<b>Tearing Strength:</b>	Warp > 50N [Base Cloth] - Weft > 30N [Base Cloth]
<b>Width:</b>	2200mm in all colours & 2800mm in selected colours
<b>Fungal Resistance:</b>	Leaching 0,0,0 Heating 0,0,0
<b>Colourfastness:</b>	6-7 Blue Scale (AS2001.4.21)
<b>Applications:</b>	External Awnings

Fire Retardancy Information	
Independently tested to AS1530.3. Suitable for classes 1, 2 to 9 (a) and (c) and 10 buildings as per BCA.	
Ignitability Index* (Range 0-20)	15
Spread of Flame Index* (Range 0-10)	8
Heat Evolved Index* (Range 0-10)	6
Smoke Developed Index* (Range 0-10)	6

Solar protection indicators are laboratory-tested. The most relevant and widely used thermal comfort factors are as follows:

Colour	Thermal Comfort			Visual Comfort
	Ts	Rs	As	TL
C15 Rosie	0	31	69	0
C9200 Country	0	39	61	0
C907 Antique	1	50	49	1
C181 Urban	0	7	93	0

The fenestration property tests were conducted in accordance with EN 410 (1998), EN 14501:(2005), and EN 14500:(2008).

**THERMAL COMFORT Fabric Only**  
**Ts** Solar Transmittance (%)  
**Rs** Solar Reflectance (%)  
**As** Solar Absorbance (%)  
 Solar radiation is always partially transmitted through, absorbed or reflected by the fabric. The sum of all 3 equals 100. Ts + Rs + As = 100 % of solar energy.

**VISUAL COMFORT Fabric Only**  
**TL** Light Transmittance (%)

Product Range			
Item	Range	Width	Roll Length
82.296.XXX	Awning Canvas	2200mm	35m
82.297.XXX	Awning Canvas	2800mm	25m